



THE SUBWAY

THE SUBWAY is a classic wall tile that comes in a variety of sizes, colors, and finishes. Let its' expansive color pallet be the inspiration for your next project.









RU03-23M
RU03-13G
RU03-25G

THE SUBWAY COLLECTION OPTIONS

FINISH: MATTE & GLOSSY OPTIONS

COLORS:

 RU03-01G	 RU03-02M	 RU03-04G	 RU03-05G	 RU03-08M
 RU03-09G	 RU03-13G	 RU03-15G	 RU03-16G	 RU03-17G
 RU03-18G	 RU03-19G	 RU03-20G	 RU03-21M	 RU03-22G
 RU03-23M	 RU03-24G	 RU03-26M	 RU03-27G	 RU03-28G
 RU03-29G	 RU03-30G	 RU03-31G	 RU03-32G	 RU03-33G




THE SUBWAY SIZE OPTIONS

	2" x 8"	3" x 6"	4 1/4" x 4 1/4"	6" x 6"	4 1/4" x 10"	4" x 12"	4 1/4" x 16"	6" x 18"	9 1/2" x 13"	13" x 24"	10" x 28"	12" x 36"	3" x 12"	3" x 12" Picket
RU03-01G	G	G	G	G	G		G	G						
RU03-02M		M	M	M	M		M							
RU03-04G		G	G											
RU03-05G		G	G	G										
RU03-08G		G	G	G										
RU03-09G		G					G						G	
RU03-13G		G	G											
RU03-15G		G	G											
RU03-16G		G					G						G	
RU03-17G		G	G	G	G									
RU03-18G		G	G											
RU03-19G		G					G						G	
RU03-20G		G	G											
RU03-21M		M	M	M	M		M							
RU03-22G		G	G	G	G		G	G						
RU03-23M		M	M	M	M		M						M	M
RU03-24G	G	G	G	G	G	G	G	G					G	G
RU03-26M	M	M	M	M	M	M	M	M					M	M
RU03-27G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
RU03-28G		G	G											
RU03-29G						G							G	
RU03-30G						G							G	
RU03-31G						G								
RU03-32G						G							G	
RU03-33G													G	

*Note: G = Glossy M = Matte

THE SUBWAY

PERFORMANCE DATA



Ceramic
Stoneware



Wall




Slight
Variation



DCOF
Compliant



Thickness
9mm



No
V.O.C.



Frost
Proof



Low Water
Absorption



USA
Made/Stock

Technical Feature	Method	Value Required ANSI A 137.1	Studio Collection Results
Facial Dimension	ASTM C-499	± 0.25% or ± 0.03 in	In accordance with ANSI A 137.1
Wedging	ASTM C-502	± 0.25% or ± 0.03 in	In accordance with ANSI A 137.1
Warpage Diagonal	ASTM C-485	± 0.4% or 0.07 in	In accordance with ANSI A 137.1
Warpage Edge	ASTM C-485	± 0.4% or 0.05 in	In accordance with ANSI A 137.1
Thickness	ASTM C-499	Range: 0.040 inch max	In accordance with ANSI A 137.1
Water Absorption	ASTM C-373	≤ 0.5%	Passed “impervious tiles” Class P1
Breaking Strength	ASTM C-648	≥ 250 lbs (≥ 1113N)	≥400 lbs
Freeze Thaw	ASTM C-1026	No damages	No damages
Chemical Resistance	ASTM C-650	As reported	Unaffected
Dynamic Coefficient of Friction	ANSI A 326.3	≥ 0.42	≥ 0.42

THE SUBWAY —

