



Modern design, immersive shades and soft lines define the colors that have a soothing and comforting effect. Let LINEA transform your business into a work of art.


LINEA —

CZ02-03M

LINEA


COLLECTION OPTIONS

COLORS:




FINISH: MATTE


SIZE:



DECORS:




TRIMS:



CZ02-04M

LINEA

PERFORMANCE DATA



Porcelain
Stoneware



Floor



Wall



Slight
Variation




DCOF
Compliant



Thickness
9mm



Rectified
Tile



No
V.O.C.



Frost
Proof



Low Water
Absorption



USA
Made/Stock

Technical Feature	Method	Value Required ANSI A 137.1	Studio Collection Results
Facial Dimension	ASTM C-499	$\pm 0.25\%$ or ± 0.03 in	In accordance with ANSI A 137.1
Wedging	ASTM C-502	$\pm 0.25\%$ or ± 0.03 in	In accordance with ANSI A 137.1
Warpage Diagonal	ASTM C-485	$\pm 0.4\%$ or 0.07 in	In accordance with ANSI A 137.1
Warpage Edge	ASTM C-485	$\pm 0.4\%$ or 0.05 in	In accordance with ANSI A 137.1
Thickness	ASTM C-499	Range: 0.040 inch max	In accordance with ANSI A 137.1
Water Absorption	ASTM C-373	$\leq 0.5\%$	Passed “impervious tiles” Class P1
Breaking Strength	ASTM C-648	≥ 250 lbs (≥ 1113 N)	≥ 400 lbs
Freeze Thaw	ASTM C-1026	No damages	No damages
Chemical Resistance	ASTM C-650	As reported	Unaffected
Dynamic Coefficient of Friction	ANSI A 326.3	≥ 0.42	≥ 0.42

LINEA

