



RJ04-09G

SIDELIGHTS —

Inspired by the movement of water, SIDELIGHTS transforms any space with its fresh colors and unique texture that creates a space that will stimulate your senses.

SIDELIGHTS


COLLECTION OPTIONS

FINISH: GLOSSY

COLORS AVAILABLE IN

3" x 12"

 :



COLORS AVAILABLE IN

3" x 12" picket

 :



COLORS AVAILABLE IN


4" x 16"

 :



SIDELIGHTS

PERFORMANCE DATA



Ceramic
Stoneware



Wall




Uniform
Appearance



DCOF
Compliant



Thickness
7mm



No
V.O.C.



Frost
Proof



Low Water
Absorption



USA
Made/Stock

Technical Feature	Method	Value Required ASNI A 137.1	Studio Collection Results
Facial Dimension	ASTM C-499	± 0.25% or ± 0.03 in	Pass
Wedging	ASTM C-502	± 0.25% or ± 0.03 in	Pass
Warpage Diagonal	ASTM C-485	± 0.4% or 0.07 in	Pass
Warpage Edge	ASTM C-485	± 0.4% or 0.05 in	Pass
Thickness	ASTM C-499	Range: 0.040 inch max	Pass
Water Absorption	ASTM C-373	≤ 0.5%	>10%
Breaking Strength	ASTM C-648	≥ 250 lbs (≥ 1113N)	Meets or Exceeds
Chemical Resistance	ASTM C-650	As reported	Unaffected

SIDELIGHTS —

